




239.00 EUR
incl. 19% VAT, plus [shipping](#)

- High brightness !
- 400 nits !
- Slim design !
- Perfect for MiniMac !

CARTFT.COM



Support:  [Drawing \(PDF\)](#) | [800x480 Driver \(Windows 7\)](#)

New : LED-Backlight-Technology, with optimized color saturation enabling particular high and shining display. The scale of displayable color nuances is increased by 45% because of the new technology. Conventional LCDs are based on CCFL backlight, which can display approx. 72% of the standard color scale of NTSC (National Television Systems Committee). With LED-Backlight-Technology 104% of the NTSC-color scale can be displayed. This results in displaying in a highly realistic manner.

A bargain display, but with many features :

- Long All-In-One connector-cable
- High brightness (400 nits)
- Many accessories
- rear camera input

Driver-CD included, compatible with :

- Windows 95/98/ME/NT4/2000/XP/7/8/8.1/10
- XP Tablet PC Edition
- Windows CE 2.12, 3.0, .net
- Linux RedHat,Mandrake,..
- Macintosh OS 9.x, 10.x
- DOS,..

| | |
|-----------------------|--|
| Screen size | 7" digital |
| Aspect Ratio | 16:9 wide TFT screen |
| Dot Resolution | 2400x480= 1,152,000 dots |
| Physical Resolution | 800x480 |
| Supported Resolutions | 640x480-1900x1200 (also eg. 1366x768) |
| Color configuration | RGB stripe |
| Power input | DC 12V |
| Power consumption | max. 8W |
| Video system | 3x Video inputs (PAL/NTSC) 1x VGA input |
| Dimensions | Display Case : 178x130x27 mm Display : 154 x 93 mm Headrest Mounting : 203x151x27 mm |
| Video input signal | Video input signal: 1.0Vp-p, composite video |
| Brightness | 400 cd/m ² |
| Contrast | 500:1 |
| Vibration | IEC68-2-6 |
| Operating Temperature | 0° to 70°C |
| Features | Full function OSD control (englisch) Built-in speakers Auto Power On/Off Automatic switching to rear camera (by a 12V cable) |
| What is included ? | - 7" VGA TFT with Video-support - Infrared Remote Control - Car dash mounting bracket - Head rest shroud - VGA/Video/Audio/Power-cable (all-in-one !) 2,5 meters length - Power Adapter f. EU 230V - Cigarette Lighter Adapter - Manual |



Displays with [True-800x480-Support](#) achieve a pixel accurate view at 800x480@70Hz



