






NF95A-270-LF (Intel Diamond Ville)

1. INTEL® 945GSE + ICH7M Chipset
2. Support INTEL® Atom N270 CPU(45nm,512K Cache, 1.60 GHz, 533 MHz FSB)
3. Build-in INTEL® GMA 950 Graphics Core
4. Support CPU Smart FAN
5. Integrated 18-bits & 24-bits Dual Channel LVDS
6. Supports 1x Gigabit LAN
7. Supports ACPI S3 Function
8. Support Watch dog Technology
9. Mini-ITX Form Factor(17cm x 17cm)
10. Slim design, within 2cm height



Board Specifications

CPU	INTEL [®] Atom N270 CPU(45nm,512K Cache, 1.60 GHz, 533 MHz FSB)
Chipset	- INTEL[®] 945GSE + ICH7M chipset - Build-in INTEL[®] GMA 950 Graphics Core(Share Memory Size: 128/224MB) - Front Side Bus 533MHz
Memory	1 * SO-DIMM Sockets for un-buffered Single Channel DDR2 533/400 SDRAM up to 2 GB
Expansion Slots	1 * PCI slot 1 * MINI PCI-E
Storage	2 * Serial ATA2 3Gb/s connectors 1 * Ultra DMA 100 / 66 IDE connector
Audio	Realtek ALC662 2-Channel HD Audio CODEC
Ethernet LAN	Realtek RTL8111DL PCI-E Gigabit Ethernet LAN
LVDS	Onboard 24-bit&18-bit dual channel LVDS connector
USB	Embedded 7 * USB 2.0/1.1
Special Features	- Intel Diamond Ville Platform - Support ACPI S3 - Support CPU Smart FAN - Support Watch Dog
Rear Panel I / O	3 * USB 2.0/1.1 ports 1 * RJ-45 port 1 * SPDIF OUT 1 * VGA port 1 * COM port 1 * 12V DC in
Internal I / O	2 * USB 2.0/1.1 headers for 4 USB 2.0 ports 1 * KB/MS headers - NB / Chassis Fan connectors; 2 * LVDS headers & 1 * GPIO header & 1 Parallel headers 3 * COM headers (COM1 for RS-422/485) 1 * AUDIO header
BIOS	Award 8MB DIP Flash ROM
Form Factor	Mini ITX Form Factor(170mm x 170mm)
Functional	ATM, Security, Digital Signage, POS, General Application, Transportation
Certificate	CE, FCC, RoHS
Temperature	- Operating within 0~60 centigrade - Storage within -20-85 centigrade

*For further information please visit the website at <http://www.jetway.com.tw>

*The Specification may be changed without further notice.

Product Accessories

Manual 	CD 	IDE Cable  x1	SATA Cable  x2	Power Cable  x1
--	--	---	---	---

